

PERFORATED SHEETS

Creativ Line



.....

ALWAYS UP TO DATE:

You can find all MEVACO products and our prices on the website:
Simply order in the online shop: www.mevaco.de

.....

Perforated sheet

Open Area: 46.75 %

Arabica



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.50	501662	157651	153427	153611	6.3	
	2.00	502434	153253	153428	153612	8.4	
Pre-galvanised							
DX51D	St 02 Z	1.50	501562	156919	156920	156921	6.3
		2.00	502345	156922	156923	156924	8.4
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500902	150145	150337	150523	2.2
		2.00	501764	150146	150338	150524	2.9
// PVC coated on one side		1.50	501005	150642	150757		2.2
		2.00	^M 501861	157944	150758		2.9
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501089	150943			2.2
EN AW-5005 H24 EQ // PVC coated on both sides	AlMg 1 hh EQ	2.00	501944	156495	156544	156593	2.9
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	501996	151362	151421	151480	2.9
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.50	501309	152249	156446	152520	6.3
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.50	501426	152683	152780	152869	6.3
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.50	501225	151979		152097	6.3
Brass							
CuZn37		1.50	503252	158214			6.8

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet

Open Area: 36 %

Leporello



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.50	501672	153254	153429	153613	7.5	
	2.00	502439	153255	153430	153614	10.0	
Pre-galvanised							
DX51D	St 02 Z	1.50	501572	156955	156956	156957	7.5
		2.00	502350	156958	156959	156960	10.0
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500912	150147	150339	150525	2.6
		2.00	501771	150148	150340	150526	3.5
		3.00	502579	150149	150341	150527	5.2
// PVC coated on one side		1.50	501014	150643	150759		2.6
		2.00	501868	157653	150760		3.5
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501099	150945			2.6
		3.00	502641			151269	5.2
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	502003	151363	151422	151481	3.5
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.50	501316	152250	152394	152521	7.5
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.50	501433	152684	152781	152870	7.5
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.50	501231	151980		152098	7.5

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet


Open Area: 17.25 %

Rhomb aligned



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.50	501721	153256	153431	153615	9.7	
	2.00	502480	153257	153432	153616	13.0	
Pre-galvanised							
DX51D	St 02 Z	1.50	501622	157074	157075	157076	9.7
		2.00	502393	157077	157078	157079	13.0
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500963	150150	150342	150528	3.4
		2.00	501819	150151	150343	150529	4.5
// PVC coated on one side		1.50	501057	150644	150761		3.4
		2.00 ^M	501912	157647	150762		4.5
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501139	150947			3.4
		3.00	502669			151272	6.7
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	502045	151364	151423	151482	4.5
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.50	501358	152251	152395	152522	9.7
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.50	501470	152685	152782	152871	9.7
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.50	501271	151981		152099	9.7
X6CrNiMoTi17-12 2B	1.4571 IIIC	1.50	501528	156449			9.7

^M = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet

Open Area: 15.44 %

Rhomb staggered



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.50	501722	153258	153433	153617	10.0	
	2.00	502481	153259	153434	153618	13.3	
Pre-galvanised							
DX51D	St 02 Z	1.50	501623	157080	157081	157082	10.0
		2.00	502394	157083	157084	157085	13.3
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500964	150152	150344	150530	3.4
		2.00	501820	150153	156450	150531	4.6
		3.00	502608	150154	150345	150532	6.8
// PVC coated on one side		1.50	501058	150645	150763		3.4
		2.00	501913	150646	150764		4.6
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501140	150950			3.4
		3.00	502670			151275	6.8
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	502046	151365	151424	151483	4.6
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.50	501359	152252	152396	152523	10.0
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.50	501471	152686	152783	152872	10.0
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.50	501272	151982		152100	10.0
X6CrNiMoTi17-12 2B	1.4571 IIIC	1.50	501529	156451			10.0

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet

Open Area: 27.96 %

Rectangular



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.50	501726	153260	153435	153619	8.5	
	2.00	502485	153261	153436	153620	11.3	
Pre-galvanised							
DX51D	St 02 Z	1.50	501627	157086	157087	157088	8.5
		2.00	502398	157089	157090	157091	11.3
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500968	150155	150346	150533	2.9
		2.00	501824	150156	150347	150534	3.9
		3.00	502612	150157	150348	150535	5.8
// PVC coated on one side		1.50	501062	150647	150765		2.9
		2.00	501917	157656	150766		3.9
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501141	150953			2.9
		3.00	502671		151278		5.8
EN AW-5005 H24 EQ // PVC coated on both sides	AlMg 1 hh EQ	2.00	501978	156494	156543	156592	3.9
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	502047	151366	151425	151484	3.9
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.50	501363	152253	152397	152524	8.5
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.50	501475	152687	152784	152873	8.5
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.50	501273	151983		152101	8.5

Perforated sheet

Open Area: 16.65 %

Halfmoon



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.50	501669	153262	153437	153621	9.8	
Pre-galvanised							
DX51D	St 02 Z	1.50	501569	156944	156945	156946	9.8
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500909	150158	150349	150536	3.4
		2.00	501770	150159	150350	150537	4.5
// PVC coated on one side		1.50	501011	150648	150767		3.4
		2.00	^M 501867	157655	150768		4.5
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501096	150956			3.4
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	502002	151367	151426	151485	4.5

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet


Open Area: 14.27 %

Wave



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.50	501763	153263	153438	153622	10.1	
	2.00	502521	153264	153439	153623	13.5	
Pre-galvanised							
DX51D	St 02 Z	1.50	501661	157110	157111	157112	10.1
		2.00	502433	157113	157114	157115	13.5
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	501004	150160	150351	150538	3.5
		2.00	501860	150161	150352	150539	4.6
// PVC coated on one side		1.50	501088	150649	150769		3.5
		2.00	501943	150650	150770		4.6
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501166	150958			3.5
EN AW-5005 H24 EQ		2.00	502073	151368	151427	151486	4.6
// pre-anodised 2 sides E6/C0, PVC 1 side							
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.50	501399	152254	152398	152525	10.1
X5CrNi18-10 2B // polished		1.50	501501	152688	152785	152874	10.1
1 side grain 240, PVC 1 side							
X5CrNi18-10 2B // polished		1.50	503225	157652	158147	158148	10.1
2 sides grain 240, PVC 2 sides							
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.50	501308	151984		152102	10.1

 = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.


Simply enter the product name in the online search.

Perforated sheet


Open Area: 12.2 %

Soap Bubble



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel						
	1.00	500901	153265			6.9
	1.50	501761	101548	153440	153624	10.3
	2.00	502519	153266	153441	153625	13.8
	2.99	502575	153267	153442	153626	20.6
Pre-galvanised						
DX51D St 02 Z	1.00	500802	153771			6.9
	1.50	501659	157098	157099	157100	10.3
	2.00	502431	157101	157102	157103	13.8
	3.00	502812	156452			20.7
Aluminium						
EN AW-1050A H24 Al 99,5% hh	1.50	501002	150162	150353	150540	3.6
	2.00	501858	150163	150354	150541	4.7
	3.00	502636	150164	150355	150542	7.1
// PVC coated on one side	1.50	501086	150651	150771		3.6
	2.00 	501941	101536	150772		4.7
EN AW-5005 H24 EQ// PVC coated on one side AlMg 1 hh EQ	1.50	501164	150960			3.6
	3.00	502690			151285	7.1
EN AW-5005 H24 EQ // PVC coated on both sides AlMg 1 hh EQ	2.00	501995	156493	156542	156591	4.7
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side	2.00	502071	151369	151428	151487	4.7
EN AW-5754 H22 AlMg 3 hh	1.00	500406	151636	151765	151849	2.4
Stainless steel						
X5CrNi18-10 2B 1.4301 IIIC	1.00	500560	152255	152399		6.9
	1.50	501397	152256	152400	152526	10.3
	2.00	502245	152257	152401	152527	13.8
	3.00	502726	152258			20.7
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side	1.00	500622	152689			6.9
	1.50	501499	152690	152786	152875	10.3
	2.00	502302	152691	152787		13.8
X5CrNi18-10 2B // polished 2 sides grain 240, PVC 2 sides	1.50	501425	101649	152551	152564	10.3
X2CrNiMo17-12-2 2B 1.4404 IIIC	1.00	500473	151985			6.9
	1.50	501306	151986		152103	10.3
X6CrNiMoTi17-12 2B 1.4571 IIIC	1.00	500704	153015	153104		6.9
	3.00	502761	153017			20.7

 = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet

Open Area: 22.3 %

Aqua



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel						
	1.50		101726			9.1
	2.00		101770			12.2

Perforated sheet

Open Area: 37.68 %

Honeycomb



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.50	501762	157650	153443	153627	7.3	
	2.00	502520	153268	153444	153628	9.8	
Pre-galvanised							
DX51D	St 02 Z	1.50	501660	157104	157105	157106	7.3
		2.00	502432	157107	157108	157109	9.8
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	501003	150165	150356	150543	2.5
		2.00	501859	150166	150357	150544	3.4
		3.00	502637	150167	150358	150545	5.0
// PVC coated on one side		1.50	501087	150652	150773		2.5
		2.00	501942	157649	150774		3.4
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501165	150963			2.5
		3.00	502691		151288		5.0
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	502072	151370	151429	151488	3.4
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.50	501398	152259	152402	152528	7.3
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.50	501500	152692	152788	152877	7.3
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.50	501307	151987		152104	7.3

= Samples. You can order a sample of this product.


You can find all variants of this product online in our shop.

Simply enter the product name in the online search.



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.00	500803	153216	153390		5.3	
	1.50	501663	153217	153391	153574	8.0	
	2.00	502435	153218	153392	153575	10.7	
	2.99	502522	153219	153393	153576	16.0	
Pre-galvanised							
DX51D	St 02 Z	1.00	500705	153748	153866	5.3	
		1.50	501563	153749	153867	8.0	
		2.00	502346	153750	153868	10.7	
		3.00	502762	153751		16.0	
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500903	150112	150302	150489	2.8
		2.00	^M 501765	150113	150303	150490	3.7
		3.00	502576	150114	150304	150491	5.5
// PVC coated on one side		1.50	501006	150618	150726		2.8
		2.00	501862	150619	150727		3.7
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501090	150905			2.8
		3.00	502638		151229		5.5
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	501997	151347	151406	151465	3.7
EN AW-5754 H22	AlMg 3 hh	1.00	500319	151608	151743	151834	1.8
		1.50	501167	151609	151744		2.8
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.00	500474	152206	152352		5.3
		1.50	501310	152207	152353	152495	8.0
		2.00	502173	152208	152354	152496	10.7
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.50	501427	152655	152756	152848	8.0
		2.00	502246	152656	152757		10.7
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.00	500407	151951			5.3
		1.50	501226	151952		152082	8.0
		2.00	502127	151953			10.7
X6CrNiMoTi17-12 2B	1.4571 IIIC	1.00	500623	152992	153086		5.3
		1.50	501502	152993			8.0
		2.00	502303	152994			10.7
		3.00	502727	152995			16.0

^M = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet

Open Area: 36.74 %

Chess 30



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.00	500804	153220	153394	153577	5.0	
	1.50	501664	153221	153395	153578	7.4	
Pre-galvanised							
DX51D	St 02 Z	1.00	500706	153752	153869	153965	5.0
		1.50	501564	153753	153870	153966	7.4
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.00	500256	150115	150305	150492	1.7
		1.50	500904	150116	150306	150493	2.6
		2.00 ^M	501766	150117	150307	150494	3.4
// PVC coated on one side		1.50	501007	150620	150728		2.6
		2.00	501863	150621	150729	150823	3.4
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501091	150908			2.6
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	501998	151348	151407	151466	3.4
EN AW-5754 H22	AlMg 3 hh	1.00	500320	151612	151746	151836	1.7
		1.50	501168	151613	151747	151837	2.6
		2.00	502075	151614	151748		3.4
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.00	500475	152209	152355		5.0
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.00	500563	152657			5.0
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.00	500408	151954			5.0
X6CrNiMoTi17-12 2B	1.4571 IIIC	1.00	500624	152996	153088		5.0

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.


Simply enter the product name in the online search.

Perforated sheet


Open Area: 8 %

Ellipse EVH 8x32



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.00	500806	153269			7.2	
	1.50	501666	153270	153445	153629	10.8	
	2.00	502437	153271	153446	153630	14.4	
	2.99	502524	153272	153447	153631	21.6	
Pre-galvanised							
DX51D	St 02 Z	1.00	500708	153772		7.2	
		1.50	501566	156932	156933	10.8	
		2.00	502348	156935	156936	14.4	
		3.00	502763	156453		21.7	
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500906	150168	150359	150546	3.7
		2.00	501768	150169	150360	150547	5.0
		3.00	502578	150170	150361	150548	7.5
// PVC coated on one side		1.50	501009	150653	150775		3.7
		2.00	 501865	100479	100482		5.0
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501093	150966			3.7
		3.00	502640		151291		7.5
EN AW-5005 H24 EQ // PVC coated on both sides	AlMg 1 hh EQ	2.00	501946	156496	156545	156594	5.0
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	502000	151371	151430	151489	5.0
EN AW-5754 H22	AlMg 3 hh	1.00	500322	151639	151766	151850	2.5
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.00	500477	152260	152403		7.2
		1.50	501312	152261	152404	152529	10.8
		2.00	502174	152262	152405	152530	14.4
		3.00	502692	152263			21.7
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.00	500565	152693			7.2
		1.50	501429	152694	152789	152878	10.8
		2.00	502247	152695	152790		14.4
X5CrNi18-10 2B // polished 2 sides grain 240, PVC 2 sides		1.50	501401	100564	157917	152565	10.8
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.00	500410	151988			7.2
		1.50	501228	151989		152105	10.8
		2.00	502128	156931		158433	14.4
X6CrNiMoTi17-12 2B	1.4571 IIIC	1.00	500626	153018	153105		7.2
		3.00	502728	153019			21.7

 = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet

Open Area: 16.5 %

Ellipse EVH 30x70



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.00	500805	153273			6.6	
	1.50	501665	153274	153448	153632	9.8	
	2.00	502436	153275	153449	153633	13.1	
	2.99	502523	156454	153450		19.6	
Pre-galvanised							
DX51D	St 02 Z	1.00	500707	153773		6.6	
		1.50	501565	156925	156926	9.8	
		2.00	502347	156928	156929	13.1	
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500905	150171	150362	150549	3.4
		2.00	501767	150172	150363	150550	4.5
		3.00	502577	150173	150364	150551	6.8
// PVC coated on one side		1.50	501008	150654	150776		3.4
		2.00	^M 501864	100480	150777		4.5
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501092	150969			3.4
		3.00	502639			151294	6.8
EN AW-5005 H24 EQ // PVC coated on both sides	AlMg 1 hh EQ	2.00	501945	156497	156546	156595	4.5
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/CO, PVC 1 side		2.00	501999	151372	151431	151490	4.5
EN AW-5754 H22	AlMg 3 hh	1.00	500321	151641	151767	151851	2.3
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.00	500476	156455	152406		6.6
		1.50	501311	152264	152407	152531	9.8
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.00	500564	152696			6.6
		1.50	501428	152697	152791	152880	9.8
X5CrNi18-10 2B // polished 2 sides grain 240, PVC 2 sides		1.50	501400	157905	152552	152566	9.8
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.00	500409	151990			6.6
		1.50	501227	151991		152106	9.8
X6CrNiMoTi17-12 2B	1.4571 IIIC	1.00	500625	153020	153106		6.6

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet


Open Area: 17.67 %

Ellipse EVL 15x30



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.50	501667	153276	153451	153634	9.7	
	2.00	502438	153277	153452	153635	12.9	
	2.99	502525	153278	153453	153636	19.3	
Pre-galvanised							
DX51D	St 02 Z	1.50	501567	156938	156939	156940	9.7
		2.00	502349	156941	156942	156943	12.9
		3.00	502764	156456			19.4
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500907	150174	150365	150552	3.3
		2.00	501769	150175	150366	150553	4.4
// PVC coated on one side		1.50	501010	150655	150778		3.3
		2.00	501866	150656	150779		4.4
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501094	150972			3.3
EN AW-5005 H24 EQ // PVC coated on both sides	AlMg 1 hh EQ	2.00	501947	156498	156547	156596	4.4
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side		2.00	502001	151373	151432	151491	4.4
Stainless steel							
X5CrNi18-10 2B	1.4301 IIIC	1.50	501313	152265	152408	152532	9.7
		2.00	502175	152266	152409	152533	12.9
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side		1.00	500566	152698			6.5
		1.50	501430	152699	152792	152881	9.7
		2.00	502248	152700	152793		12.9
X5CrNi18-10 2B // polished 2 sides grain 240, PVC 2 sides		1.50	501402	152541	152553	152567	9.7
X2CrNiMo17-12-2 2B	1.4404 IIIC	1.50	501229	151992		152107	9.7

 = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet

Open Area: 11.6 %

Matrix



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel						
	1.50	501687	153279	153454	153637	10.4
	2.00	502450	153280	153455	153638	13.9
Pre-galvanised						
DX51D St 02 Z	1.50	501588	157040	157041	157042	10.4
	2.00	502364	157043	157044	157045	13.9
Aluminium						
EN AW-1050A H24 Al 99,5% hh	1.50	500928	150176	150367	150554	3.6
	2.00	501787	150177	150368	150555	4.8
// PVC coated on one side	1.50	501030	150657	150780		3.6
	2.00 ^M	501884	100478	150781		4.8
EN AW-5005 H24 EQ// PVC coated on one side AlMg 1 hh EQ	1.50	501114	150974			3.6
	3.00	502647				7.2
EN AW-5005 H24 EQ // pre-anodised 2 sides E6/C0, PVC 1 side	2.00	502019	151374	151433	151492	4.8
Stainless steel						
X5CrNi18-10 2B 1.4301 IIIC	1.50	501330	152267	152410	152534	10.4
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side	1.50	501446	152701	152794	152883	10.4
X5CrNi18-10 2B // polished 2 sides grain 240, PVC 2 sides	1.50	503224	157906	158145	158146	10.4
X2CrNiMo17-12-2 2B 1.4404 IIIC	1.50	501245	151993		152108	10.4

Perforated sheet

Open Area: 22.3 %

Infinity



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel						
	1.50		101746			9.1

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet

Open Area: 45 %

No. 152



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.00 ^M	500823	100053	158181	158183	4.3	
	1.50	501688	100054	158182	158184	6.5	
Pre-galvanised							
DX51D	St 02 Z	1.00	500725	153774	158185	158187	4.3
		1.50	501589	153775	158186	158188	6.5
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.00	500259	150178	158189	158191	1.5
		1.50	500929	150179	158190	158192	2.2
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	503267	158295			2.2
EN AW-5754 H22	AlMg 3 hh	1.00	500338	151643			1.5
		1.50	501172	151644			2.2
Brass							
CuZn37	1.00	503236	158193			4.7	
	1.50	503237	158194			7.0	

Perforated sheet

Open Area: 33.1 %

No. 153



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.00 ^M	503238	100867	158195	158196	5.3	
Pre-galvanised							
DX51D	St 02 Z	1.00	503239	158197	158198	158199	5.3
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.00	503240	158200	158201	158202	1.8
Brass							
CuZn37	1.00	503241	158203			5.7	

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet

Open Area: 44.03 %

No. 154



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.00 ^M	500824	101517			4.4	
	1.50	501689	157940	153464	153647	6.6	
Pre-galvanised							
DX51D	St 02 Z	1.00	500726	156458	157046	4.4	
		1.50	501590	157047	157048	6.6	
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500930	150180	150369	150556	2.3
		2.00	501788	150181	150370	150557	3.0
// PVC coated on one side		1.50	501031	150663	150788		2.3
		2.00	501885	150664	150789		3.0
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501115	150985			2.3
EN AW-5005 H24 EQ		2.00	502020	151375	151434	151493	3.0
// pre-anodised 2 sides E6/CO, PVC 1 side		1.00	500339	151645	151768	151852	1.5
EN AW-5754 H22	AlMg 3 hh	2.00		158280			3.0
Brass							
CuZn37		1.00	503242	158204			4.8
		1.50	503243	158205			7.1

Perforated sheet

Open Area: 43.8 %

No. 155



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel						
	1.00		101735			4.4
	1.50		101756			6.6
	2.00		101762			8.8
Pre-galvanised						
DX51D	St 02 Z	1.00	101729			4.4

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet


Open Area: 31.5 %

No. 156



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel						
	1.00		101734			5.4
	1.50		101777			8.1
Pre-galvanised						
DX51D	St 02 Z	1.00	101803			5.4

 = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet

Open Area: 41.23 %

Cross 11



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel						
	1.00	500808	153288			4.6
	1.50 ^M	501670	101496	153465	153648	6.9
Pre-galvanised						
DX51D St 02 Z	1.00	500710	153776	156947		4.6
	1.50	501570	156948	156949	156950	6.9
Aluminium						
EN AW-1050A H24 Al 99,5% hh // PVC coated on one side	1.50	500910	150182	150371	150558	2.4
	1.50	501012	150665	150790		2.4
EN AW-5005 H24 EQ// PVC coated on one side AlMg 1 hh EQ	1.50	501097	150987			2.4
EN AW-5005 H24 EQ // PVC coated on both sides AlMg 1 hh EQ	2.00	501948	156499	156548	156597	3.2
EN AW-5754 H22 AlMg 3 hh	1.00	500324	151646	151769	151853	1.6
Brass						
CuZn37	1.00	503244	158206			5.0
	1.50	503245	158207			7.5

Perforated sheet


Open Area: 41.11 %

Cross 15



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel						
	1.00	500809	153289			4.6
	1.50 ^M	501671	157628	153466	153649	6.9
Pre-galvanised						
DX51D St 02 Z	1.00	500711	153777	156951		4.6
	1.50	501571	156952	156953	156954	6.9
Aluminium						
EN AW-1050A H24 Al 99,5% hh // PVC coated on one side	1.50	500911	150183	150372	150559	2.4
	1.50	501013	150666	150791		2.4
EN AW-5005 H24 EQ// PVC coated on one side AlMg 1 hh EQ	1.50	501098	150988			2.4
EN AW-5005 H24 EQ // PVC coated on both sides AlMg 1 hh EQ	2.00	501949	156500	156549	156598	3.2
EN AW-5754 H22 AlMg 3 hh	1.00	500325	151647	151770	151854	1.6
Stainless steel						
X5CrNi18-10 2B 1.4301 IIIC	1.50	501315	156682	156683	156684	6.9
X5CrNi18-10 2B // polished 1 side grain 240, PVC 1 side	1.50	501432	156720	156721	156722	6.9
Brass						
CuZn37	1.00	503246	158208			5.0
	1.50	503247	158209			7.5

^M = Samples. You can order a sample of this product.

 You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet

Open Area: 23.53 %

Lily 15



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.00 ^M	500816	157935			6.0	
	1.50		158577			9.0	
Pre-galvanised							
DX51D	St 02 Z	1.00	500718	153778		6.0	
		1.50	501580	157003	157004	9.0	
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500920	150184	150373	150560	3.1
		2.00	501779	150185	150374	150561	4.1
// PVC coated on one side		1.50	501022	150667	150792		3.1
		2.00	501876	150668	150793		4.1
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501107	150989			3.1
EN AW-5005 H24 EQ		2.00	502011	151376	151435	151494	4.1
// pre-anodised 2 sides E6/C0, PVC 1 side		1.00	500332	151648	151771	151855	2.1
EN AW-5754 H22	AlMg 3 hh	1.00	500332	151648	151771	151855	2.1
Brass							
CuZn37		1.00	503248	158210			6.5
		1.50	503249	158211			9.7

Perforated sheet

Open Area: 32.04 %

Lily 28



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²	
Steel							
	1.00 ^M	500817	157936			5.3	
	1.50	501680	153290	153467	153650	8.0	
Pre-galvanised							
DX51D	St 02 Z	1.00	500719	153779		5.3	
		1.50	501581	157006	157007	8.0	
Aluminium							
EN AW-1050A H24	Al 99,5% hh	1.50	500921	150186	150375	150562	2.8
		2.00	501780	150187	150376	150563	3.7
// PVC coated on one side		1.50	501023	150669	150794		2.8
		2.00 ^M	501877	157629	150795		3.7
EN AW-5005 H24 EQ// PVC coated on one side	AlMg 1 hh EQ	1.50	501108	150991			2.8
EN AW-5005 H24 EQ		2.00	502012	151377	151436	151495	3.7
// pre-anodised 2 sides E6/C0, PVC 1 side		1.00	500333	151649	151772	151856	1.8
EN AW-5754 H22	AlMg 3 hh	1.00	500333	151649	151772	151856	1.8
Brass							
CuZn37		1.00	503250	158212			5.8
		1.50	503251	158213			8.7

^M = Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.

Perforated sheet

Open Area: 34.03 %

Mesh



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel	1.00		101508			5.2

Perforated sheet

Open Area: 38 %

Labyrinth



Material (desired formats also available in powder-coated finish)	Material thickness	Desired format	Small format 1000 x 2000 mm	Medium format 1250 x 2500 mm	Large format 1500 x 3000 mm	Weight kg/m ²
Steel	1.00		101830			4.9

= Samples. You can order a sample of this product.

You can find all variants of this product online in our shop.

Simply enter the product name in the online search.